

Product trade name **NEOPOST UK IJ40**

1. Company Identification

Manufacturer information Neopost Industrie
 113, rue Jean Marin Naudin
 92220 Bagneux
 France

Local contact information NEOPOST LTD
 South street
 PO BOW 3
 ROMFORD ESSEX RM1 2AR
 UK
 Tél. (44) 1708 746 000
 Fax.

2. Environmental information

Product dimensions	Depth	Width	Height
	360 mm	265 mm	251 mm
Product weight	9 Kg		

	Relative Humidity (%)	Ambient Temperature (°C)
Environmental Storage *	% to %	°C to °C
Environmental Operating *	% to %	°C to °C

* *Relative humidity, non-condensing.*

3. Supplies

Product name	Part number	Material safety data sheet
/	/	/
/	/	/
/	/	/

4. Electrical information

Line voltage (Volts)	120 V ± 10 %
Line current (Amps)	0.368 Amps
Frequency (Hertz)	60 ± 3 Hertz

5. Power consumption

Line voltage	Off mode (Wh)	Standby (Wh)	Run mode (Wh)
120 V	0	4.81	20.73

Note: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Neopost representative if you require detailed information.

6. Audible noise

Operating conditions	Sound pressure (db(A))	Sound power (B(A))
Standby		LWAd=
Operating - continuous		LWAd=

7. Safety Information

Safety and legal Markings:



Product safety certification

Standard	Certifying body	File number
EN 60950: 2000	Neopost Industrie	/
UL 1950	UL	E76277

Electromagnetic compatibility

Standard	Certifying body	File number
EN 55022	Neopost Industrie	/
EN 55024	Neopost Industrie	/
EN 61000-3-2	Neopost Industrie	/
FCC Part 15 class B	/	/

Environmental legal compliance

Since 01-07-2006 this Product complies with EU Directive 2002/95/EC, Restriction of Hazardous Substances (RoHS), in all EU member states.

DISCLAIMER : This Product Safety Data Sheet (PSDS) is provided without charge to customers of Neopost Technologies. Data is the most current known to Neopost Technologies at the time of preparation of this PSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

For further safety information, please read carefully the product user guide.